

Foggers Ka Sath, Fayda Apke Hath

PRODUCT PROFILE BOOKLET

2025 - 2026

- Portable Thermal Fogging Machines
- Portable & Vehicle Mountable Thermal cum Cold Fogging Machines
- Portable Cold Fogging Machines
- Electric Operated Cold Fogging Machines
- Garden Sprayers
- Agricultural Sprayers
- Pest Control Sprayers
- Brush Cutters



Who are we?

Founded in March 1999, Foggers India Pvt Ltd began its journey with a singular mission: to revolutionise the pest control and agricultural equipment industry in India. The company set out to create cutting-edge solutions that would enhance the effectiveness and efficiency of farming and pest control practices.

What do we do?

At Foggers India, our focus lies in ensuring Food Security, Health Security and optimising Farm Mechanization through innovative solutions, cutting-edge technologies and a diverse range of products. We stand to enhance productivity and profitability for farmers and pest control operators.

What do we offer?




**GARDEN
SPRAYERS**



**AGRI
SPRAYERS**



**PEST CONTROL
SPRAYERS**



**BRUSH
CUTTERS**



**FOGGING
MACHINES**

Vision: To be recognized as the World's Biggest Agriculture Inputs Distribution Company.

Mission: Continually improve Productivity, Yield and Profit for our customers.

Values: Upholding Integrity, Honesty and Trustworthiness in our dealings with Employees, Vendors, Customers, Investors and Government entities.

Our Certifications -



45001 : 2018
ISO Certified



14001 : 2015
ISO Certified



9001 : 2015
ISO Certified




BIS Certified



CM/L : 7800085320



TABLE OF CONTENTS



1

FOGGING MACHINES

- **Thermal Fogging Machines**
 - Portable Thermal Fogging Machines **4-5**
 - Portable Thermal Cum Cold Fogging Machines **6-7**
- **Vehicle Mountable Thermal Cold Fog** **8-9**
- **Thermal Cold Fogging Machines**
 - Portable Cold Fogging Machines **10**
 - Electric Operated Cold Fogging Machines **11**

2

SPRAYERS

- Garden/ Hand Sprayers **12-13**
- Professional Pest Control Sprayers **14**
- IK Industrial Sprayers Range **15**
- Knapsack Sprayers **16**
- Petrol Operated Power Sprayers **17-19**
- Diaphragm Pumps **20**
- Telescopic Lance **21**

3

FARM MACHINERIES

- Brush Cutters **22**

LOC HOT SHOT HANDY FOGGING MACHINE



The LOC Handy Fogging Machine is a portable, easy-to-use device designed for efficient mosquito and pest control in a variety of settings. Utilizing thermal fog spraying technology, it transforms liquid insecticides into a fine fog mist, ensuring widespread coverage and deep penetration into hard-to-reach areas.


Key Features:

- **Compact and Lightweight:** Its ergonomic design makes it highly portable and easy to manoeuvre, ideal for both professional and domestic use.
- **Effective Atomization:** Generates ultra-fine fog particles for superior coverage and efficacy in combating mosquito and insects.
- **Versatile Applications:** Suitable for homes, offices, small commercial spaces, vehicles, and outdoor areas like gardens and patios.

Ideal For:

- Targeted pest control against mosquitoes, flies, and other common insects.

The LOC Handy Fogging Machine offers a convenient and effective solution for creating healthier and pest-free surroundings.




AEROSOL GAS CAN

- Aerosol gas can is a specially processed de-odorised LPG gas, this special process removes sulphur traces from the LPG gas, which improves and protects the machines parts.
- Each aerosol can are fitted with safety valve and cover for protection during storage and transportation.




FOGGER XL 175 (M)

(Stainless steel formulation and fuel tank)



FOGGER XL 175 (P)

(Plastic (HDPE) formulation and fuel tank)



The Fogger XL 175 Portable Fogging Machine is a high-performance Thermal Fogger designed for efficient and widespread application of insecticides, disinfectants, fungicides.

Key Features:

- **Powerful Thermal Fogging:** Utilizes a resonate pulse principle engine with a performance output of up to 17.5 kW/hr, ensuring rapid and effective fog generation.
- **Optimal Particle Size:** Produces ultra-fine fog particles ranging from 0.5 to 25 microns, allowing for deep penetration into target areas and effective coverage.
- **Versatile Models:** Available in two variants:
- **Fogger XL 175 (P):** Features durable Plastic (HDPE) tanks for both fuel and formulation, offering a lightweight and cost-effective option.
- **Fogger XL 175 (M):** Equipped with robust Stainless Steel tanks for enhanced durability and chemical resistance, suitable for more rigorous professional use

Ideal For: ● Public Health ● Agriculture And Plant Protection



THERMAL FOG



CM/L : 7800085320




MSME Registered



WHO Compliant



FOGGER XL 150 FPM




The Fogger XL 150 Portable Fogging Machine is a powerful and versatile solution designed for professional-grade pest control in medium to large-sized areas.

Key Features:

- **High Performance:** Equipped with a engine tube and advanced nozzle technology, it generates a dense, ultra-fine fog for maximum efficacy in various applications.
- **Enhanced Coverage:** Ideal for larger spaces such as warehouses, industrial facilities, hospitals, schools, hotels, and agricultural settings.
- **Portable Power:** Despite its "XL" designation, it remains a portable solution, allowing operators to move it to different locations with relative ease.

Ideal For: ● Public Health ● Agriculture And Plant Protection



THERMAL FOG



CM/L : 7800085320



MSME Registered



WHO Compliant





TF-34 (THERMAL CUM COLD FOGGER)




The Igeba TF-34 Portable Fogging Machine is a highly compact and lightweight thermal fog generator, renowned for its versatility in both indoor and outdoor applications.

Key Features:


- **Compact and Lightweight Design:** With a total length of only 78 cm and an empty weight of 6.6 kg, the TF-34 is exceptionally portable and easy to maneuver, making it ideal for navigating confined spaces.
- **Efficient Thermal Fogging:** Generates a dense, ultra-fine fog with particle sizes typically less than 20 microns (oil-based), allowing for deep penetration into cracks, crevices, and dense foliage.
- **Versatile Formulation Compatibility:** Primarily designed for oil-based formulations, it can also apply water-based solutions with an optional "W" water conversion kit, expanding its application range.
- **WHO and ISO Certified:** Complies with WHO equipment specifications for vector control and holds a Global ISO 9001 Certificate, guaranteeing high standards of quality and reliability.

Ideal For:

- Pest and Vector Control
- Stored Product Protection
- Plant Protection



TF 35 (THERMAL CUM COLD FOGGER)





The Igeba TF-35 Portable Fogging Machine is a globally recognized and highly regarded thermal fog generator, celebrated for over 30 years as a top choice in professional applications.

Key Features:


- **Robust Thermal Fogging Performance:** Equipped with a powerful combustion chamber generating 18.7 kW / 25.4 HP, the TF-35 produces a dense, ultra-fine thermal fog. This ensures widespread coverage and deep penetration into target areas, making it highly effective against mosquito and insects.
- **Optimal Particle Size:** The machine consistently delivers ultra-fine fog particles, typically less than 20 microns (for oil-based formulations), maximizing the impact and reach of the active ingredients.
- **Versatile Formulation Compatibility:** While designed for oil-based formulations with its standard fog tube, the TF-35 can be easily adapted to apply water-based solutions with an optional "W" fog tube, providing broad application flexibility.
- **Global Standard and Certifications:** The Igeba TF-35 holds a Global ISO 9001 Certificate and complies with WHO equipment specifications for vector control, underscoring its quality, safety, and effectiveness.

Ideal For:

- Public Health
- Agriculture



S.S. FOG 180 FPM 2IN1 (THERMAL CUM COLD FOGGER)




The SS Fog 180 2-in-1 Portable Fogging Machine is a highly versatile and efficient solution for professional pest control, disinfection, and sanitation needs.


Key Features:

- **Dual Functionality:** Seamlessly transitions between thermal aerosol fogging (petroleum-based) and Ultra-Low Volume (ULV) cold fogging (water-based) via a single control valve. This adaptability makes it suitable for a wider range of applications and chemical formulations.
- **Optimal Particle Size:** Capable of producing ultra-fine fog particles.
- **Safety Features:** Includes an auto shut-off valve to prevent fire hazards if the machine stops unexpectedly or is not properly turned off.

Ideal For: • Public Health • Agriculture And Plant Protection



EVO 35 ACT (THERMAL CUM COLD FOGGER)





The Igeba Evo 35 ACT Portable Fogging Machine is a state-of-the-art thermal fog generator renowned for its efficiency, reliability, and versatility in professional pest control, disinfection.

Key Features:

- **Advanced Carburetor Technology (ACT):** This proprietary German engineering ensures precise air and fuel flow control, leading to improved engine performance, better fuel efficiency, reduced emissions, and exceptionally easy starting without a spark plug
- **Dual Formulation Compatibility:** The Evo 35 ACT can effectively apply both oil-based formulations with its standard fog tube and, with an optional "W" fog tube, water-based solutions, offering broad application flexibility.
- **Certified Quality:** IGEBA foggers, including the EVO 35 ACT, hold comply with WHO equipment specifications, ensuring high standards of quality and reliability.

Ideal For:


- Vector and Pest Control
- Stored Product Protection
- Plant Protection





**FOGGER XL 200 2IN1
(THERMAL CUM COLD
FOGGER)**

**SS FOG 400 2IN1
(THERMAL CUM COLD
FOGGER)**




Fogger XL 200 and SS Fog 2-in-1 Fogging Machine is a groundbreaking, vehicle-mountable thermal fogger designed to provide comprehensive pest control and disinfection solutions.

Key Features:

- **2-in-1 Fogging Technology:** Effortlessly switch between thermal fogging (using oil-based formulations) and cold fogging (using water-based formulations). This dual functionality enhances operational efficiency and reduces equipment investment.
- **Vehicle-Mountable Design:** Engineered for easy mounting on three-wheeler or four-wheeler pickups, allowing for efficient and widespread application in large urban, rural, or industrial areas.
- **Remote-Controlled Operation:** For enhanced convenience and operator safety, the machine includes a wired remote control that allows for convenient start/stop and fog on/off functions directly from the driver's seat.
- **Standards Compliance:** Tested and approved as per BIS 14855 (Part I) and fully compliant with WHO standards for fogging operations, ensuring reliability and effectiveness.


Ideal For:

- Vector and Pest Control
- Stored Product Protection
- Plant Protection



IGEBA® TF 65/20 E

Vehicle Mountable Thermal Cum Cold Foggers



The IGEBA TF 65/20E Thermal Fogging Machine is a high-performance, high-capacity pulse jet thermal fog generator designed for professional and widespread application of insecticides, disinfectants, fungicides, and other liquid formulations.

Key Features:

- **Powerful Thermal Fogging:** Boasts a robust combustion chamber with an output of 36.8 kW (50 HP), generating large volumes of dense, ultra-fine fog particles (typically < 20 microns for oil-based solutions). This ensures excellent penetration and coverage, even in complex environments.
- **Versatile Formulation Compatibility:** The standard TF 65/20E is highly efficient with oil-based formulations. With an optional "W" fog tube or conversion kit, it can also effectively apply water-based solutions, expanding its utility across a broader range of applications.
- **Global Standard and Certifications:** Holds a Global ISO 9001 Certificate and often complies with WHO equipment specifications for vector control, testifying to its quality and reliability


Ideal For:

- Large-Scale Vector Control
- Agriculture and Plant Protection
- Stored Product Protection



IGEBA® TF 95 HD

Vehicle Mountable Thermal Cum Cold Foggers





The IGEBA TF 95 HD Thermal Fogging Machine is a top-tier, high-performance thermal fog generator from Germany, specifically designed for rapid and extensive application in both indoor and outdoor environments.

Key Features:

- **Exceptional Power Output:** Driven by a robust combustion chamber generating 36.8 kW (50 HP), the TF 95 HD produces a massive volume of dense, ultra-fine thermal fog, ensuring rapid and thorough treatment of large areas.
- **High Flow Rate:** Capable of delivering a maximum flow rate of up to 100 liters per hour (oil-based formulations) or 40 liters per hour (water-based formulations with the "W" variant or optional conversion kit). This enables quick and efficient coverage of vast spaces.
- **Optimal Droplet Size:** Consistently produces a very fine aerosol with a VMD typically less than 20 microns (oil-based) or less than 30 microns (water-based), ensuring deep penetration into cracks, crevices, and dense foliage for maximum efficacy.
- **Vehicle-Mountable:** Its design allows for easy mounting on various vehicles, making it ideal for large-scale outdoor fogging campaigns.
- **Global Standard and Certifications:** Holds a Global ISO 9001 Certificate and complies with WHO equipment specifications for vector control, confirming its high standards of quality and reliability.

Ideal For:

- Large-Scale Vector Control
- Agriculture and Plant Protection





PESTGUARD[®] 800

PESTGUARD[®] 800 ES Cold Fogging Machine by Foggers India represents the next generation of eco-friendly and cost-effective solutions for pest control and sanitation

Key Features:


- **Battery-Powered Efficiency:** Operates on a 48V Lithium battery (350W Max), ensuring zero running costs.

Adjustable Droplet Range:

- 0-30 microns: Ideal for effective adult mosquito control.
- 30-50 microns: Perfect for fly management and residual spraying.
- **Optimal Coverage:** Delivers a wide fogging swath of 8-10 meters (24-30 feet).
- **Eco-Friendly Operation:** With no harmful emissions, it is perfect for both indoor and outdoor use, promoting a safer and more sustainable pest management approach.

Ideal For:

- Mosquito and Fly Control
- Indoor Sanitization
- Residual Spraying



Available on
GeM
Government
e Marketplace



NUSTAR[®] COLD FOGGING MACHINE


The NUSTAR Cold Fogging Machine, proudly manufactured under the "Make In India" initiative by Foggers India Private Limited. This innovative ULV (Ultra-Low Volume) cold fogger offers a cost-effective and environmentally conscious alternative to traditional thermal foggers.

Key Features:

- **Small Petrol Engine for Efficiency:** Powered by a compact and efficient 4-stroke air-cooled petrol engine (35 CC, 1.0 kW / 1.3 HP),
- **WHO Compliant and Certified:** Fully compliant with WHO Specifications (WHO/HTM/NTD/WHOPES/2010.9), ensuring its effectiveness and safety for public health applications.
- **Optimal ULV Droplet Size:** Utilizes a ULV - Micro Vertox fogging nozzle to produce ultra-fine droplets, typically less than 30 microns VMD.
- **Durable and Lightweight Design:** Features a 3-liter polyethylene (UV resistant) formulation tank and an empty weight of 12.50 kg, making it portable and easy to handle for extended operations.
- **Make in India:** A testament to local manufacturing capabilities and quality.

Ideal For:

- Mosquito Control
- Public Health Programs & General Pest Control



Available on
GeM
Government
e Marketplace





GUARDIAN ULV SPRAYER

The Guardian ULV Sprayer, is a versatile and efficient cold fogging machine designed for a wide range of disinfection and pest control applications.


Key Features:

- **ULV (Ultra-Low Volume) Technology:** Employs ULV technology to generate fine aerosol mist with droplet sizes typically ranging from 10-50 microns.
- **Electric Powered:** Operates on a standard 220V electrical input, making it suitable for indoor and accessible outdoor environments without the need for fuel.
- **Adjustable Flow Rate:** Features an adjustable flow rate, typically ranging from 0-17 liters per hour.
- **Versatile Applications:** Ideal for spraying in a variety of settings including homes, offices, hotels, schools, hospitals, manufacturing plants, and home gardens

The Guardian ULV Sprayer stands out as a practical, efficient, and cost-effective tool for maintaining hygiene and controlling pests in diverse environments

Ideal For:

- Mosquito Control
- Public Health Programs
- General Pest Control



COLD FOG



MERCURY 360° (1L)

- Mercury 360° is one of a kind dual action hand sprayer.
- Dual action spraying is an unique technique which allows you to spray during press and release of the spray trigger.
- It is 360° in nature - no matter what angle you spray: upwards / downwards or even sideways - it will spray.
- It has a comfortable spray head and handle and has an adjustable nozzle which gives two kinds of spray - fine and jet.



25



JUPITER (1.5L)

- Foggers India brings to you Jupiter 150 the most affordable and easy to use hand compression sprayer which comes in a capacity of 1.5 litres thus making it a perfect addition to your home garden.
- It has an adjustable nozzle which gives two kinds of spray - fine and jet. Jupiter 150's most unique quality is it's strong formulation tank.
- It can sustain the harshest kind of chemical or fertilizer.



15

MARS (3L, 5L, 8L)



- Foggers India brings to you "Mars" Hand compression sprayers range for your garden.
- It can be used for indoor garden as well as larger garden at bungalows and farm houses.
- It is easy to use and very convenient to carry. It has an adjustable nozzle which gives two kinds of spray - fine and jet.
- It is made of one-mould HDPE material, ensuring a 100% leak-proof tank.
- Comes in three variants: 3 litres, 5 litres & 8 litres.



ORION (3L, 6L)



- ORION constitutes a series of very practical, professional and reliable hand compression sprayers.
- These durable, multi-purpose professional sprayers is your perfect companion for pest management applications
- All components of the ORION sprayers are made of highly durable and chemically resistant materials.
- It comes with telescopic lances with smooth length adjustment (in the range from 0.6 to 1.2 m), carrying straps with a shoulder pad, and a funnel with strainer for convenient pouring of chemical agents.
- Comes in two variants: 3 litres & 6 litres.
- Orion comes with a special 5 years warranty on the tank.





Coming Soon on
GeM
 Government e Marketplace

PESTGUARD® 200

- Professional-Grade Performance.
- Targeted Treatment with the Innovative C&C Nozzle.
- Special nozzles for other spraying applications.
- Minimize Overspray
- Ergonomic Design for Comfortable Use
- Durable Tank for Lasting Reliability
- Compatibility with water-based insecticides.

Specification		
Nozzles	Types	Area of Application
	C&C Nozzle Set	Bed Bugs & Anti termites Treatment
	Flat Fan Low Drift Nozzle	For Cockroaches Treatment
	Hollow Cone Low Drift Nozzle	For General Treatments.
	XL Lance	Extension lance for hard-to-reach areas.
Empty Weight	0.350 kg	
Box Dimensions	19 x 16 x 34 cm	
Tank Capacity	2.0 Ltr	HDPE Tank



PESTGUARD® 600

- International Standard Stainless-Steel Sprayer.
- Special nozzles for different spraying applications.
- Minimize Overspray.
- Ergonomic Design for Comfortable Use
- Durable Tank for Lasting Reliability
- Compatibility with water-based and oil-based insecticides.

Specification	
Pump Material	Stainless Steel
Tank Capacity	6.0 Ltr
Spray Lance	48 cm.
Empty Weight	3.80 Kg
Box Dimensions	22 x 22 x 53 cm



Coming Soon on
GeM
 Government e Marketplace



IK Foam Pro 2 Professional Sprayer

- A compact sprayer designed to produce dry, dense, and durable foam.
- Ideal for cleaning, sanitation, vehicle detailing, and food industry disinfection.
- Compatible with surfactant-based chemicals.
- Comes with a fan-type foam nozzle for even coverage.
- Valve preset at 3 bar / 43.5 psi, easily depressurizable.
- Capacity: 1.25 L
- Net Weight: 0.56 kg

ik
BY EXPERTS
FOR EXPERTS
Spain



IK Foam Pro 12 Professional Sprayer

- A heavy-duty sprayer designed for generating dry, dense, and durable foam.
- Ideal for cleaning, sanitation, HVAC maintenance, vehicle detailing, and industrial kitchen disinfection.
- Compatible with surfactant-based chemicals.
- Equipped with a 47 cm fiberglass lance and a 1.3 m hose for extended reach.
- Includes a special fan-type foam nozzle for efficient coverage.
- Built-in valve set at 3.5 bar / 50 psi with automatic pressure release.
- Capacity: 6 L
- Net Weight: 2.57 kg

ik
BY EXPERTS
FOR EXPERTS
Spain





TULIP SUPERTECH KNAPSACK SPRAYER (16L)

- It is a manual sprayer specially designed for better pumping.
- 16 litres one piece tank with removable skirt base.
- Holds more pressure than any other Manual Knapsack Sprayers.
- The double chamber supports to pump with 50% less effort.
- It comes with a big chemical tank mouth which reduces wastage while filling the spray solution.
- The tank mouth comes with an attached filler.
- Empty Weight: 3.26 kg



TULIP DUPLEX 2in1 (16L) (Battery cum Manual Sprayer)

- High pressure, large flow Electric Diaphragm pump.
- 16 litres one piece tank with removable skirt base.
- It comes with a big chemical tank mouth which reduces wastage while filling the spray solution.
- The tank mouth comes with an attached filler.
- Chemical resistance delivery cut off valve made from PVC.
- Battery Gel Type: 12V - 8 Amp.
- Equipped with high precision voltmeter & low voltage alarm clock.
- Empty Weight: 6.50 kg



TRITON 12V 8A BATTERY SPRAYER (16L)

- Very strong tank made from HDPE.
- Special pressure regulator to switch from low to high pressure.
- High Quality 12V - 8Amp batteries for long spray cycle.
- Stainless Steel goose neck lance with different spray nozzles..
- Also available in 12V- 12 Amp Battery.
- Empty weight: 5.50 kg



BALWANTM

POWER KNAPSACK SPRAYERS RANGE

Efficiency and cost-effectiveness are crucial factors in modern farming and our Balwan range of Power Knapsack Sprayers addresses these needs effectively. With its modern design and quick spraying capabilities, Balwan Sprayers are the smartest choice for efficient and cost-effective farming.



BALWANTM 4S
POWER KNAPSACK SPRAYER (25L)



BALWANTM SUPRETECH 4S
POWER KNAPSACK SPRAYER (25L)



Specification	BALWAN 4S	BALWAN SUPRETECH 4S
Pump	Horizontal Gear Driven	Horizontal Gear Driven, Double Suction
Plunger	1 pic (Two way Operation), 18mm Dia	1 pic (Two way Operation), 18mm Dia
Tank Capacity	25 lit	25 lit
Out Put	3~8 lit/min	3~8 lit/min
Pressure	1.5~2.5 MPa	1.5~2.5 MPa
Engine	139 Four Stroke Air Cooled Engine	139 Four Stroke Air Cooled Engine
Displacement	31 cc	31 cc
Engine Power	0.7 kw/6500 rpm	0.7 kw/6500 rpm
Fuel	Petrol	Petrol
Fuel Tank Capacity	0.9 ltr	0.9 ltr
Starting System	Easy start Recoil Starter	Easy start Recoil Starter

Petrol Operated Power Sprayers

BALWANTM POWER KNAPSACK SPRAYERS RANGE

Efficiency and cost-effectiveness are crucial factors in modern farming and our Balwan range of Power Knapsack Sprayers addresses these needs effectively. With its modern design and quick spraying capabilities, Balwan Sprayers are the smartest choice for efficient and cost-effective farming.



BALWANTM
SUPREME 204
POWER KNAPSACK SPRAYER (20L)



BALWANTM
SINDOOR 4S 25
POWER KNAPSACK SPRAYER (25L)



SPECIFICATION	BALWAN SUPREME 204	BALWAN SINDOOR 4S 25
Pump	Horizontal Gear Driven Double Suction Pump	Horizontal Gear Driven
Plunger	1 pic (Two way Operation), 18mm Dia	1 pic (2 way operation) 22mm dia SS plunger
Tank Capacity	20 lt	25 lt
Out Put	3~8 lit/min	3.3 ~ 10 Lpm
Pressure	1.5~2.5 MPa	1.5 ~ 3.0 Mpa
Engine	139 Four Stroke Air Cooled Engine	139 Four Stroke Air Cooled Engine
Displacement	31 cc	31 cc
Engine Power	0.7 kw/6500 rpm	0.7 kw/6500 rpm
Fuel	Petrol	Petrol
Fuel Tank Capacity	0.9 ltr	1 ltr
Starting System	Easy start Recoil Starter	Easy start Recoil Starter

TOOFAN HIGH POWER MIST BLOWER/DUSTER



- Toofan is a new generation power mist blower cum duster for faster and more efficient mist blowing for coverage of field crops like cotton, paddy, maize etc. and fruits and vegetables.
- Toofan is a powerful mist blower fitted with a 14 liter formulation tank which can spray liquid as well as dust formulations.



Specification	
Standard Power	2.13 kw / 7500 rpm
Displacement	41.5 cc
Fan Speed	7500 rpm
Starting System	Recoil Starter
Ignition	CDI
Formulation Tank Capacity	14 ltrs
Fuel	Mixture of Petrol and 2T Lubrication Oil at 25:1 ratio
Fuel Tank Capacity	1 Lt.
Discharge Rate	Liquid: > 3 lt / min Powder > 3.7 kg/min
Dry Weight	10.5 kg

WEGWAN SUPREME 4S



Specification	
Name	Wegwan Supreme 4S Portable Power Sprayer
Pump	Horizontal Gear Driving
Plunger	1 Piece (Two way Operation)
Cylinder	2 pieces
Plunger Dia	18mm
Output	3-7 L/min
Pressure	20-35 bar
Net Weight	12.7kgs
Engine Type	Single Cylinder four stroke air cool engine
Displacement	31CC
Engine Power	1.2KW/7000rpm
Fuel Tank Capacity	800ml
Fuel	Petrol
Lubricating Oil	4 cycle engine oil 20W-40
Carburator	Diaphragm Type
Starting System	Recoil starter
Ignition Mode	CDI
Stop Mode	Stop switch
Air Cleaner	Sponge



Three piston semi-hydraulic diaphragm Agricultural Spray pump. Version available: "VF": Standard 3 holes 1.



PA SERIES 330



PA SERIES 430



PA SERIES 530

Specification				
RPM	---	540	540	540
Power	KW	2.4	2.8	4.0
Weight	kg	7.3	7.8	14
Negative Pressure	mt	1.5	1.5	1.5
Ø Intake	mm	25	25	30
Ø High Pressure	mm	G.1/2	G.1/2	G.1/2
MAX Temperature	°C	60	60	60
Oil Type	SAE	30	30	30
Oil Capacity	lt	0.6	0.6	0.5



**BLACK STALLION 330-GX-GD
BLACK STALLION 430-GX-GD**



**BLACK STALLION 330-GX-PD
BLACK STALLION 430-GX-PD**



BLACK STALLION 330 OR 430-KA	BLACK STALLION 330 OR 430-KA-PD-WSH SPRAYER
PA330 OR PA 430 DAIPHGRM PUMP WITH KARIN CONTROL VALVE SUITABLE FOR BLOWER MFG/ASSEMBLER	PA 330 OR PA 430 DAIPHGRM PUMP WITH KARIN CONTROL VALVE, 12" PULLEY, SUCTION AND BY PASS HOSE
BLACK STALLION 330 OR 430-GX-GD SPRAYER	BLACK STALLION 330 OR 430-GX-PD SPRAYER
PA330 OR PA 430 DAIPHGRM PUMP WITH KARIN CONTROL VALVE MOUNTED WITH REDUCTION GEAR BOX,SUCTION AND BY PASS HOSE WITH HONDA ENGINE	PA 330 OR PA 430 DAIPHGRM PUMP WITH KARIN CONTROL VALVE MOUNTED WITH PULLEY, SUCTION AND BY PASS HOSE WITH HONDA ENGINE



VIRAT TELESCOPIC LANCE (3MTR & 5MTR)

- Introducing the Virat Telescopic Lance—an indispensable solution for extending your reach during spraying tasks in remote or elevated areas, ensuring optimal treatment quality. Available in 3-meter and 5-meter lengths, this versatile lance excels in high-reaching tasks, making it ideal for building facades, rooftops, windows, vehicles, hornets' nests, palm trees, and more.
- Crafted from lightweight fiberglass, it guarantees precision and control while applying products. With a Universal Attachment, it effortlessly connects to backpack and pressure sprayers. The built-in pressure gauge enhances operational control. Transporting is a breeze, thanks to its lightweight design. The Virat Telescopic Lance is your go-to for efficient, high-reaching spraying tasks.





SUDARSHAN®

GRASS CUTTER / HARVESTER

Sudarshan weed cutter and harvester is an ideal agriculture machine for various on field application like Grass Cutting, Fodder harvesting and harvesting for many other agriculture crops like wheat, paddy, maize and other oil seeds crops.

Sudarshan is most ideal machine replacing the manual labor with more effective machine performance and cost saving.

Sudarshan comes with CE standard safety features and Anti Vibration Dampeners system for fatigue free operations for long hours. Reliable clutch case and gears are specially designed for Indian Farm Conditions.

Tested & Approved by North Eastern Farm Machinery Training and Testing Institute (NE FMTTI), Assam. Registered for various Department of Agriculture - State Subsidy Program under Farm Mechanization Programs.




HARVESTER ATTACHMENT




BLADES, TAP & GO ACCESSORIES




 **SUDARSHAN®**
Weed Cutter 35-4S-Honda
GX 35 (4 Stroke Engine)



 **SUDARSHAN®**
Weed Cutter S35U - 4S
(4 Stroke Engine)



 **SUDARSHAN®**
Weed Cutter Ultra 43-2S
(2 Stroke Engine)

Engine Displacement (cc)	35.8 cc	37.7cc	42.7 cc
Standard Power (kw/rpm)	1.0 /7000	1.0 / 7000	1.25 kw / 7500 rpm
Engine Type	4 Stroke Air-Cooled, Petrol Engine	4 Stroke Air-Cooled, Petrol Engine.	2 Cycle, Single Cylinder, Force Air-Cooled, Petrol Engine.
Fuel / Fuel Mixture	Petrol	Petrol	Petrol Mixed with 2T Oil at 25:1
Carburetor	Walbro WYK (Diaphragm Type)	Diaphragm Type	Diaphragm Type
Ignition System	Transistorized	Electric CDI	Electric CDI
Starting System Type	Recoil Starter	Recoil Starter	Recoil Starter
Aid for cold starting	Choke Valve	Choke Valve	Choke Valve
Clutch Type	Centrifugal	Centrifugal	Centrifugal
Shaft	28mm Aluminum	28mm Aluminum	28mm Aluminum
Gear Case	28mm Aluminum with Prevention plate	28mm Aluminum	28mm Aluminum with Prevention plate
Drive Shaft Diameter (mm)/Tooth	Solid Steel ø 8 mm x 1540 mm length	Solid Steel ø 8 mm	Solid Steel ø 8 mm - 9Tooth *13 Tooth * 1540 mm length
Friction Plates on Clutch	2 Plates	2 Plates	2 Plates
Pinion Gear Depth	3 mm	3 mm	2 mm or more
Gear Ratio	13 Tooth x 20 Tooth	13 Tooth x 20 Tooth	13 Teeth x 20 Teeth or more
Handle Type	Bicycle type - Dual Handle	Bicycle type - Dual Handle	Bicycle type - Dual Handle
Trigger	CE Standard safety Trigger	CE Standard safety Trigger	CE Standard safety Trigger
Fuel Tank Capacity	630 ml	650 ml	1 Lt
Harness Type	Double Harness A	Double Harness A	Double Shoulder Harness
Empty Weight	8 kg	8.5 kg	7.7 kg



Foggers Ka Sath, Fayda Apke Hath

PRODUCT PROFILE BOOKLET

- Regd. Office: 94, Dr. Ambedkar Road, Byculla, Mumbai, India - 400027.
- Corporate Office: 313, Grohitam, 3rd Floor, Plot No.14-B, Sector - 19, Vashi, Navi Mumbai - 400705
- Customer Care: +91 93228 32766
- Email: sales@foggersindia.com
- Web: www.foggersindia.com



Scan Me

Current Export



Sri Lanka



Bangladesh



Maldives



Nepal



UAE

OUR PARTNERS



A-SUNG PRECISION IND. CO.



SESHIN INDUSTRIAL CO., LTD.



Warranty: 12 month warranty against manufacturing defects on all products mentioned in the catalogue. Dealers & Dealership available across India.
After-Sale Service available.
AMC available.

Specifications and technical details are subject to change without prior notice. At Foggers India, R&D is a continuous process. Hence, we reserve the right to improve/change/eliminate product or its components as desired.